

STIKEMAN ELLIOTTRECEIVED
CENTRAL FAX CENTER

AUG 10 2007

Amendments to the Claims

1. (Original) A method for ~~generating~~ improving the colour of a natural colour image comprising the steps of

generating a greenness band from a multispectral image including blue, green, red and near infrared bands and

adjusting the green band using the greenness band.

2. (Currently Amended) A The method according to claim 1 wherein the greenness band is generated mathematically using the equation:

$$GN = (NIR_{Orig} - R_{Orig} - \lambda) / s$$

where GN is a greenness band, NIR_{Orig} is an original near infrared band, R_{Orig} is an original red band, λ is a threshold and s is a scale factor.

3. (Currently Amended) A The method according to claim 1, wherein the green band is adjusted mathematically using the equation:

$$G_{Adj} = G_{Orig} + GN$$

where G_{Adj} is an adjusted green band, G_{Orig} is an original green band and GN is a greenness band.

STIKEMAN ELLIOTT

4. (Currently Amended) A The method for generating improving the colour of a pan-sharpened natural colour image comprising the steps of

generating a greenness band from pan-sharpened image bands including blue, green, red and near infrared bands and

adjusting the pan-sharpened green band using the greenness band.

5. (Currently Amended) A The method according to claim 4, wherein the greenness band is mathematically generated using the equation:

$$GN_H = (NIR_{PS} - R_{PS} - \lambda) / s$$

where GN_H is a high resolution greenness band, NIR_{PS} is a pan-sharpened near infrared band, R_{PS} is a pan-sharpened red band, λ is a threshold and s is a scale factor.

6. (Currently Amended) A The method for generating improving the colour of a pan-sharpened natural colour image comprising the steps of

generating a greenness band from a panchromatic image and a pan-sharpened red band; and

STIKEMAN ELLIOTT

adjusting the pan-sharpened green band using the greenness band.

7. (Currently Amended) ~~A~~ The method according to claim 6, wherein the greenness band is mathematically generated using the equation:

$$GN_H = (Pan_{Orig} - R_{PS} - \lambda) / s$$

where GN_H is a high resolution greenness band, Pan_{Orig} is an original panchromatic band, R_{PS} for pan-sharpened red band, λ is a threshold and s is a scale factor.

8. (Currently Amended) ~~A~~ The method according to claim 4, wherein the pan-sharpened green band is adjusted mathematically using the equation:

$$G_{HAdj} = G_{PS} + GN_H$$

where G_{HAdj} is an adjusted pan-sharpened green band, G_{PS} is an pan-sharpened green band and GN_H is a high resolution greenness band.

9. (Currently Amended) ~~A~~ The method according to claim 1, wherein the greenness band is generated using an equation selected from the group comprising the following alternative equations:

$$GN = (NIR_{Orig} - G_{Orig} - \lambda) / s \text{ and}$$

or

STIKEMAN ELLIOTT

$$GN = (NIR_{Orig} - B_{Orig} - \lambda) / s,$$

where GN is a greenness band, NIR_{Orig} is an original near infrared band, G_{Orig} is an original green band, B_{Orig} is an original blue band, λ is a threshold and s is a scale factor.

10. (Currently Amended) A The method according to claim 1, wherein the greenness band is generated using the following alternative equation selected from the group comprising equations:

$$GN_H = (NIR_{PS} - G_{PS} - \lambda) / s \text{ and}$$

or

$$GN_H = (NIR_{PS} - B_{PS} - \lambda) / s,$$

where GN_H is a high resolution greenness band, NIR_{PS} is a pan-sharpened near infrared band, G_{PS} is a pan-sharpened green band, B_{PS} is a pan-sharpened blue band, λ is a threshold and s is a scale factor.

11. (Currently Amended) A The method according to claim 1 and 7, wherein the greenness band is generated using an equation selected from the group comprising the following alternative equations:

$$GN_H = (Pan_{Orig} - G_{PS} - \lambda) / s \text{ and}$$

or

$$GN_H = (Pan_{Orig} - B_{PS} - \lambda) / s,$$

STIKEMAN ELLIOTT

where GN_H is a high resolution greenness band, Pan_{Orig} is an original panchromatic band, G_{PS} for pan-sharpened green band, B_{PS} for pan-sharpened blue band, λ is a threshold and s is a scale factor.

12. (Currently Amended) A The method according to claim 7, wherein the greenness bands are generated using an equation selected from the group comprising:

$$GN_H = (Pan_{Orig} - G_{PS} - \lambda) / s \text{ and}$$


$$GN_H = (Pan_{Orig} - B_{PS} - \lambda) / s,$$

where GN_H is a high resolution greenness band, Pan_{Orig} is an original panchromatic band, G_{PS} for pan-sharpened green band, B_{PS} for pan-sharpened blue band, λ is a threshold and s is a scale factor.

STIKEMAN ELLIOTT

This application is considered in good and proper form for allowance
and the Examiner is respectfully requested to pass this application to issue.

Respectfully submitted,



Eugene F. Derényi

Reg. No. 52,409

STIKEMAN ELLIOTT LLP

Suite 1600, 50 O'Connor Street

Ottawa, Ontario K1P 6L2

Canada

Amended: August 10, 2007